2.4 GHZ. Radio Controlled RC Airman **User Guide**

Read Instruction Before Use.

IMPORTANT:

Read instructions completely before use. Keep guide for future reference.

INTRODUCTION

An awesome RC Flying Adventure straight out of the box.

The Airman is a 17" compressed foam flying toy that comes completely assembled from the box. Perfecting the power-to-weight balance ratio, along with its custom glider wing design, Airman achieves amazing maneuverability for an Ultimate RC Flying experience.

With an easy, toss-to-launch sequence, Airman is incredibly easy to control and fly even for any first timer.

It's also ideal for group flying! The Airman works on a 2.4GHz bandwidth, which allows a maximum of 16 simultaneous devices to work within the same air space and is able to fly on extended range up to 300 feet.

With smart engineering tweaks, the propeller is designed and positioned in such a way to allow for balanced flight while prolonging flight time. Airman comes installed with a rechargeable lithium polymer battery, capable of achieving an approximate flight time of five to six minutes

Additional layers of PC/PET lining is added to specific parts of the body for extra strength to increase durability form all those bumps and knocks that are so hard to avoid. Check this out in addition; the head has a coil mechanism installed to absorb head-on impacts.

To Note:

lease read this user guide completely before attempting to fly Airman Please make sure you are constantly aware of your personal safety and others.

The following accessories comes together in the

box when you purchase your Airman:

- 1 x Airman
- 1 x 2.4 GHZ. Radio Controlled
- 2 x Pair of Propeller
- 1 x USB Cable
- 1 x User Guides

Special Note:

Airman is made of compressed lightweight foam materials for superior RC Flying. Damage CAN and WILL occur to the foam normal wear and/or crashes during normal use of any outdoor flying R/C repair and maintenance of Airman is easy and quick. Please refer to maintenance section for details.

GETTING STARTED

- 1. Battery Installation
- Ensure power switch is at the OFF position on the controller.

- · Loosen screw and remove battery compartment.
- Insert 6 AA batteries. Ensure correct polarity.
- · Replace battery compartment and tighten screw.

2. Charging - a good charge for a good flight

- Ensure power switch is at the OFF position on the Airman.
- Open charging compartment on the controller, draw out charging cable and connect to Airman charging port. Ensure charging head is in its correct orientation.
- Set power switch on the controller to CHA to begin charging.
- . Charging indicator (Red) will blink rapidly during charge and turned off
- Requires 45-60 minutes for a full charge for approximately 5-6 minutes of flight time.

Important:

- Remember to turn off the power when not in use.
- . Charging time varies depending on rechargeable battery life on the Airman and controller's AA batteries.
- If charging indicator blinks slowly, replace batteries in controller.


3. Pre Flight Check - things you should be aware of.

- · Check and verify all parts. Do not fly if blades are damaged.
- . Minor cuts, creases or breaks in the compressed foam can be easily repaired with clear tape. (Please refer to maintenance)
- Verify Airman is being fully charged and/ or batteries in controller are fresh.
- Fly only in an open grass area, free from trees, building or wires. Do not fly near roads, people or animals. This product is meant to be flown outdoors only.
- Do not fly in lightning storm, rain, sleet, snow or other adverse weather. Plastic and compressed foam is susceptible to damage due to cold weather. Ideal operating temperature is 50°- 95°F (10° - 35°C).
- Do not fly in windy conditions, strong winds may overpower the Airman and make it difficult to fly.

4. Sync Activate - Get Ready!

- Ensure controller is in is OFF position. Switch ON the power on the Airman. Red light will start to blink on Airman battery compartment.
- . Switch ON the controller, Green light will blink on the controller and then remain steady. Red light on Airman will flash a few times and be steady.
- · Hold controller with your left hand and Airman on your right. Ensure its your fingers are not obstructing
- Push throttle (left stick) forward fully, and then pull it all the way back and then forward again to Sync Activate. Propellers will spin once to indicate Sync

Activate successful. Repeat if not successful. This step is necessary every time either the Airman or controller is switched OFF or loses Sync.



Care and Handling

- * Do not put in water
- * Do not modify any part of body or disassembly

- * Only use outdoors with adult supervision
- * Do no throw, kick or apply excessive force to Body
- * Do not fly around water or trees
- * Choking Hazard, Not for children under three years of age

Battery Safety Information

- * Do not mix Alkaline, standard (carbon Zinc) or rechargeable batteries
- * Do not re-charge no-recharge batteries
- * Only charge re-charge battery under adult supervision
- * Do not mix different type of batteries or old with new batteries
- * Insert batteries with proper polarity
- * Promptly remove dead batteries from toys
- * Dispose of used batteries properly
- * Remove batteries for long term storage
- * Do not short circuit the supply terminal

FCC Statement

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

5. Flying Instruction - Get Set!

- Ensure power switch is at the ON position on both Airman & the Controller.
- Ensure Trim dial is set to the center position.
- Hold Controller with your left hand, and place left thumb over Throttle.
- Hold Airman by the CHEST area with your right hand. Keep clear of propellers.
- Push Throttle (3/4 power), Toss-to-launch Airman gently, upward at a 45 degree angle. (Do not throw only a gentle toss or flick is needed-see photo below).
- · Allow propellers to work their magic.



6. Go! - Command, we have launch.

- Use directional Left/Right controller to keep Airman balanced or straight.
 Do not over-push the directional controler during takeoff as it will cause Airman to crash.
- Adjust Throttle for more or less power. For elevation, push the throttle upward. To dive, pull the throttle back.
- Steer Left or Right using the Directional Stick. As Airman has great maneuverability, only a slight/ gentle directional push or taps are needed.
- For dramatic turn maneuver, push Directional Stick to the extreme Left/ Right. Sharp turns will result in slight loss in power, best to do this above 40 feet (12 meters). Do not attempt to maintain extreme turn maneuver too long as Airman may lose flight elevation
- Use Trim Dial if Airman is drifting left or right. Move the trim dial in the opposite direction of drift to compensate. Test the trim with small adjustments at first and increase as needed.
- To land, choose a grassy or soft area, and gently pull back the Throttle to reduce power.

Airman is equipped with a 2.4GHz extended range controller with capabilities up to 300 feet (90 meters). If the range is exceeded, it will automatically shut off and land.

Maintenance

Normal Wear and Tear

Airman is made of compressed lightweight foam materials for superior RC Flying. Damage CAN and WILL occur to the foam from normal wear and/ or crashes during flights. If the foam parts of your hero cracks or breaks, repair is as easy as a piece of clear tape.

To note: Additional weight will impact flight of the Airman, do not apply too much tape.

Replacing Propellers

Airman comes with a set of spare propellers (left and right). In the event if the installed propeller is broken;

- Gently remove the broken propeller with a pair of pliers. Do not bend the axle.
- Propellers are marked'L'for Left or'R'for Right.
- Please ensure that you are using the correct one.
- Ensure that the flat side of the propeller is facing the motor.
- The axle should be inserted into the flat end of the propeller.
 Replace with spare propellers
- · Push the axle all the way through the propeller

Interference

Airman is controlled by a remote controller that may be subject to interference from many sources outside your control. This interference can or may cause momentary loss of control during flight. It is advisable to always keep a safe distance in all directions around your Airman to avoid collisions or injury.

Safety Tips

WARNING: Suitable for Ages 12 and up. Do not touch the rotating propellers which may cause injury.

Troubleshooting:

Issues	Causes	Solutions
Airman will not start. Airman will not charge. Charging LED indicator is not blinking.	 Airman not charged. Controller batteries are drained. Airman was not turned off during charging. Controller was not set at CHA position during charging. Auto Off function engaged. Airman and Controller are not synced. 	 Complete charge cycle. Replace controller batteries after about 5 charges. Always set the Airman to CHA position during charging. Always set the Controller in CHA position during charging. Turn the Airman On and Off to reset. Sync Activate again following step 4.
Lack of Flight Control	 Controller batteries are drained. Controller is not turned on. It is a windy day. 	 Replace controller batteries after about 5 charges. Ensure controller switch is at the ON position. Strong winds will limit or eliminate your ability to control. Avoid flying in windy conditions.
Airman flight is 'panned' too much to the left or right.	• Imbalance in the propulsion of one or both the propellers.	Adjust the trim dial in the opposite direction the Airman is 'panned' to.
Damage to the foam body.	Normal wear or crashes during flights.	Apply minimal clear tape on damaged area. Do not apply too much clear tape as weight may impact flight.
Propeller breaks		A spare set is available. Please follow steps in maintenance section to replace.
LED indicator on Controller	 Airman and Controller not Sync. Controller batteries are low. 	 Sync Activate again following Step 4. Change batteries.
LED indicator on Airman • Red Light Flashing quickly • Green Light flashing slowly	 Airman and Controller are not Sync. Airman battery is low. 	 Sync Activate again following step 4. Charge Airman.

LIMITED WARRANTY

We warrant this product to be free from defects in material and workmanship under normal use for a period of 30 days from the date of purchase. Should it become defective within the 30 days warranty period, we will repair or replace it at no charge. You must submit proof of purchase (Sale Receipt) with the set. This warranty does not cover damage resulting from unauthorized modifications, accident, misuse or abuse. Shipping and handling to the manufacturer is the customers responsibility.

This warranty does not apply to any products which have been subject to misuse, neglect or accident. This warranty gives you specific legal rights, and you may also have other rights which vary from state to state.

MARNING: NEVER CHARGE BATTERY UNATTENDED. CHARGE BATTERY IN ISOLATED AREA. KEEP AWAY FROM FLAMMABLE MATERIALS. DO NOT EXPOSE TO DIRECT SUNLIGHT. THERE IS RISK OF THE BATTERIES EXPLODING, OVERHEATING OR IGNITING. DO NOT PLACE THEM IN HOT AREA SUCH AS BEING NEAR IN THE FIRE. DO NOT DROP OR CAUSE STRONG IMPACTS. DO NOT ALLOW THE BATTERIES TO GET WET. ONLY CHARGE THE BATTERIES WITH THE INTENDED CHARGER THAT WAS INCLUDED IN THIS PACKAGE. CAREFULLY READ THE INSTRUCTION MANUAL AND USE THE BATTERIES CORRECTLY.

Caution Please read the following instruction carefully before playing your toy. It is recommended that you should keep clear from the operating items when they are in use. Do not play in poor weather conditions. The user is responsible for ensuring safe operations of the product.

The purchase of this product is an agreement by the purchaser / user to hold all seller / manufactures harmless of liability for the use or misuse of this product. Damage to the product or personal property as a result of crash will not be covered by the seller / manufacturer

WARNING! For your safety, don not leave the charging unit connected to the batteries for extended period

of time unsupervised. Overcharge batteries may create a fire hazard.

⚠ CHOKING HAZARD! Suitable for ages 12 and up due to small parts. Specification and color may vary from illustrations.

NO CRASH WARRANTIES. Please do not return this product to store.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules.

MISSING PARTS or REPAIR or QUESTIONS



DO NOT RETURN TO STORE!

1. If you would like to send in the product for repair and the product within 30 DAYS from the purchase date, it will be repaired or replaced at NO CHARGE. We will pay for shipping charges to return to you. This warranty does not cover damage resulting from unauthorized modifications, accident, misuse or abuse.

For any assistance, please contact us: customerservice@InvenTel.tv

InvenTel LLC 2 Kiel Ave, Unite # 312 Kinnelon, NJ 07405

Note: The Item Number can be found on top of UPC Code Label.

- 2. Please go to the link below to fill in Warranty Form. http://www.buyairman.com
- 3. Do not Return any Physically Damaged Products or Customer Abused Toy Products. We will not repair.
- 4. If your products out of warranty, we will provide you estimates when you ship the product back to us.
- 5. If you need to order parts for your items, please click on URL below to order parts.

Please visit us at www.buyairman.com for more great products!

© 2012 – 2014 InvenTel LLC All Right Reserved. Printed in China